





REVISIONS				
P.	LTN.	DESCRIPTION	DATE	APV'D.
E		REVISED PER ECO-14-005095	21APR2014	AP RP
F		REVISED PER ECO-16-008845	21SEP2016	AP RP




- 1. REFERENCE APPLICATION SPEC 114-13059 FOR RECOMMENDED PLATED THRU HOLE DIAMETER AND PLATING THICKNESSES.
- 2. MATERIAL:
SHIELD - PHOSPHOR BRONZE
CONTACT - COPPER-NICKEL-SILICON
HOUSING, CHICKLET AND CHICKLET COVER - GLASS FILLED POLYESTER, UL 94V-0.
- 3. FINISH: SIGNAL AND GROUND CONTACTS:
MATING AREA: MEETS THE PERFORMANCE REQUIREMENTS OF PRODUCT SPECIFICATION 108-2055; BASED ON TELCORDIA GR-1217-CORE, APPLICATIONS IN UNCONTROLLED ENVIRONMENTS
COMPLIANT PIN AREA: 0.5 μm MIN BRIGHT TIN-LEAD OVER BASE PLATING
- 4. CONNECTOR MARKED WITH PART NUMBER AND DATE CODE IN APPROXIMATE AREA SHOWN
- 5. DIMENSION APPLIES TO CENTERLINE OF THRU HOLE.
- 6. DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 7. CONTACT AREA LUBRICATED WITH BELLCORE APPROVED LUBRICANT. TECHNICAL REFERENCE: GR-1217-CORE, ISSUE 1, NOVEMBER 1995.

RECOMMENDED PC BOARD LAYOUT, DAUGHTER BOARD, COMPONENT SIDE SHOWN
 SCALE 4:1



TOP SURFACE OF DAUGHTER CARD



1469294-1
 PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: S. J. MAGARO 25MAR2003	STE Connectivity	
DIMENSIONS:		CHK: R. A. PATTERSON 25MAR2003	NAME: RECEPTACLE ASSEMBLY, 4 PAIR, 37.5mm HMZd	
mm		APV'D: R. A. PATTERSON 19MAY2003	PRODUCT SPEC	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC		
0 PLC ±		SIZE: CAGE CODE: DRAWING NO: A100779C=1469294		
1 PLC ±		RESTRICTED TO		
2 PLC ±		WEIGHT		
3 PLC ±		SCALE: 5:1 SHEET 1 OF 1 REV F		
4 PLC ±		CUSTOMER DRAWING		
ANGLES ±				
FINISH				