

	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1		
M	VERTICAL HEADER ASSEMBLY ITEM NO.	PART CHARACTERISTICS FOR VERTICAL HEADER				PACKAGING SPECIFICATIONS	VERTICAL HEADER ASSEMBLY ITEM NO.	PART CHARACTERISTICS FOR VERTICAL HEADER				PACKAGING SPECIFICATIONS	VERTICAL HEADER ASSEMBLY ITEM NO.	PART CHARACTERISTICS FOR VERTICAL HEADER				PACKAGING SPECIFICATIONS				
		CIRCUIT SIZE	HSG. MAT'L (SEE NOTE 1)	SOLDER TAIL	BOARD LOCK		CIRCUIT SIZE	HSG. MAT'L (SEE NOTE 1)	SOLDER TAIL	BOARD LOCK		CIRCUIT SIZE	HSG. MAT'L (SEE NOTE 1)	SOLDER TAIL	BOARD LOCK							
	46007-0102	2	A	SHORT	N/A	PK-43160-0010	46007-0104	4	A	SHORT	N/A	PK-43160-0010	46007-0106	6	A	SHORT	N/A	PK-43160-0010				
	46007-0302	2	A	LONG	N/A	PK-43789-001	46007-0304	4	A	LONG	N/A	PK-43789-001	46007-0306	6	A	LONG	N/A	PK-43789-001				
L	46007-2102	2	A	SHORT	.062	PK-43789-001	46007-2104	4	A	SHORT	.062	PK-43789-001	46007-2106	6	A	SHORT	.062	PK-43789-001				
	46007-4102	2	A	SHORT	.094	PK-43789-001	46007-4104	4	A	SHORT	.094	PK-43789-001	46007-4106	6	A	SHORT	.094	PK-43789-001				
	46007-4302	2	A	LONG	.094	PK-43789-001	46007-4304	4	A	LONG	.094	PK-43789-001	46007-4306	6	A	LONG	.094	PK-43789-001				
	46007-6302	2	A	LONG	.125	PK-43789-001	46007-6304	4	A	LONG	.125	PK-43789-001	46007-6306	6	A	LONG	.125	PK-43789-001				
K	46007-0103	3	A	SHORT	N/A	PK-43160-0010	46007-0105	5	A	SHORT	N/A	PK-43160-0010										
	46007-0303	3	A	LONG	N/A	PK-43789-001	46007-0305	5	A	LONG	N/A	PK-43789-001										
	46007-2103	3	A	SHORT	.062	PK-43789-001	46007-2105	5	A	SHORT	.062	PK-43789-001										
	46007-4103	3	A	SHORT	.094	PK-43789-001	46007-4105	5	A	SHORT	.094	PK-43789-001										
J	46007-4303	3	A	LONG	.094	PK-43789-001	46007-4305	5	A	LONG	.094	PK-43789-001										
	46007-6303	3	A	LONG	.125	PK-43789-001	46007-6305	5	A	LONG	.125	PK-43789-001										

UPDATE REV. LEVEL IEC NO. UCF2012-3878 DRAWN BY DRWNAELHAG 2012/05/29 CHECKED BY CHYKDJBELL 2012/05/29 APPR:FSMTH 2012/08/28 REV DESCRIPTION	QUALITY SYMBOLS 		GENERAL TOLERANCES (UNLESS SPECIFIED) <table border="1"> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> <tr> <td>4 PLACES</td> <td>± .005</td> <td>± .0005</td> </tr> <tr> <td>3 PLACES</td> <td>± .005</td> <td>± .0005</td> </tr> <tr> <td>2 PLACES</td> <td>± 0.13</td> <td>± .01</td> </tr> <tr> <td>1 PLACE</td> <td>± 0.25</td> <td>± .01</td> </tr> </table>			mm	INCH	4 PLACES	± .005	± .0005	3 PLACES	± .005	± .0005	2 PLACES	± 0.13	± .01	1 PLACE	± 0.25	± .01	DIMENSION STYLE IN/MM		SCALE 1:1		DESIGN UNITS INCH		THIRD ANGLE PROJECTION	
		mm	INCH																								
	4 PLACES	± .005	± .0005																								
	3 PLACES	± .005	± .0005																								
2 PLACES	± 0.13	± .01																									
1 PLACE	± 0.25	± .01																									
DRAWN BY C STEWART DATE 04/29/05 CHECKED BY DATE BWIRKUS DATE APPROVED BY DATE BWIRKUS			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SABRE HEADER ASSY VERTICAL, 2-6 & 8 CIR. UL 1950 COMPLIANT		MOLEX INCORPORATED																		
MATERIAL NO. SD-46007-001			DOCUMENT NO. SD-46007-001		SHEET NO. 2 OF 6		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																				