



LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION	DATE	DN	APVD		
T		REVISED PER 0G1B-1094-04	24JAN05	KW	SR		
T1		REV PER ECO-09-021826	08SEP09	KK	AEG		





- PARTS COMPLY WITH AMP SOLDERABILITY SPECIFICATION 109-11-3.
  - MATES WITH 480708 USING SOCKET CONTACTS.
  - DIMENSIONS IN BRACKETS ARE IN INCHES.
- ⚠️ CIRCUIT IDENTIFICATION CHARACTERS ARE ADJACENT TO THE INDICATED CAVITIES, BUT LOCATION AND ORIENTATION MAY DIFFER FROM PRINT.
  - ⚠️ CONTACT IS PLATED OVERALL WITH 0.00127[.000050] NICKEL, THEN 0.00076[.000030] GOLD OVER CONTACT LENGTH INDICATED AND MATTE TIN ON SOLDER TAIL END.
  - ⚠️ CONTACT IS PLATED OVERALL WITH 0.00127[.000050] NICKEL, THEN 0.00076[.000030] GOLD OVER CONTACT LENGTH INDICATED AND MATTE TIN ON SOLDER TAIL END.
  - ⚠️ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



RECOMMENDED MOUNTING HOLE PATTERN FOR A 3.18 [.125] THK P.C. BOARD

SECTION A-A  
SCALE 10:1



7	OBSOLETE	PH BRZ	6	NYLON, UL94V-0	NATURAL	-350587-4-
7	OBSOLETE	PH BRZ	5	NYLON, UL94V-0	NATURAL	-350587-2-
		PH BRZ	PRE-TIN	NYLON, UL94V-0	NATURAL	350587-1

MATERIAL		FINISH		MATERIAL		COLOR		PART NO	
THIS DRAWING IS A CONTROLLED DOCUMENT.									
DIMENSIONS: mm [INCHES]				TOLERANCES UNLESS OTHERWISE SPECIFIED:				APVD	
0 PLC ± -		1 PLC ± -		2 PLC ± 0.13[.005]		3 PLC ± -		4 PLC ± -	
ANGLES ± -		FINISH SEE TABLE		WEIGHT -		SIZE A1		CAGE CODE 00779	
MATERIAL SEE TABLE		FINISH SEE TABLE		WEIGHT -		SIZE A1		CAGE CODE 00779	
MATERIAL SEE TABLE		FINISH SEE TABLE		WEIGHT -		SIZE A1		CAGE CODE 00779	

METRIC