


AUX. VIEWS SHOWN FOR REFERENCE
SCALE 1:1



NOTES:

1. MATERIAL: SEE TABLE
2. FINISHES: SEE TABLE
3. ASSEMBLY IS ROHS COMPLIANT BY EXEMPTION. COMPONENTS MARKED WITH AN ASTERISK (*) ARE ROHS COMPLIANT BY EXEMPTION, ALL OTHERS ARE ROHS COMPLIANT.
4. POLARIZING KEYS ARE INSTALLED AS SHOWN.

ITEM	QTY.	DESCRIPTION	MATERIAL	FINISH
5	3	POLARIZING KEY, PEG	NYLON	NATURAL (WHITE)
4	3	SCREW, M3X0.5 CHS SLOTTED	STEEL	ZN. CLEAR CHROMATE
3	3	CAGE, PRESSURE CLAMP (*)	BRASS	NICKEL PLATE
2	3	TERMINAL	PHOS. BRONZE	TIN PLATE
1	1	HOUSING	NYLON	BLACK

INITIAL RELEASE EC NO: ETC2007-0392 DRAWN: C. YORK 2007/05/11 CHKD: J. MACNEIL 2007/05/11 APPR: J. MACNEIL 2007/05/14 REV A	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 3:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION			
		4 PLACES ± --- ± --- 3 PLACES ± --- ± .005 2 PLACES ± 0.13 ± .01 1 PLACE ± 0.25 ± ---		DRAWN BY DATE C. YORK 2007/05/09		CHECKED BY DATE J. MACNEIL 2007/05/09		TITLE 39879 (87) SERIES, 6 LENGTH SKIP CIRCUIT (2,4,5) WITH IMPRINTING MOLEX INCORPORATED			
		ANGULAR ± 2°		APPROVED BY DATE J. MACNEIL 2007/05/09		MATERIAL NO. 398790306					
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			