


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL INTERNATIONAL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
G	14	P	LTR	DESCRIPTION	DATE	DWN	APVD
		G1		REV PER ECR 09-023200	27OCT09	JR	TM



- 1 TONGUE MATERIAL THICKNESS =  $0.79 \pm 0.05$  [ $.031 \pm .002$ ]
- 2 FOR 2.67[.105] TO 3.56[.140] WIRE INSULATION DIA
- 3 MARKING 22-18 FOR MILITARY COMMERCIAL RANGE 22-16
- △ 4 APPLIES FROM EDGE OF METAL BARREL TO THE CENTER OF THE STUD HOLE.
- 5 MAX OPERATING TEMP: 343°C
- 6 CMA: 0.26-1.65mm<sup>2</sup> [509-3,260]

OBSOLETE	1	33799 ON TAPE	BODY: COPPER (ASTM-B152) NICKEL PL (ASTM-B545) SLEEVE: NICKEL SILVER NO PLATING	2-33799-1
	1	WIRE TERMINAL		33799
		QTY	DESCRIPTION	MATERIAL & FINISH

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN JR RUTH 15JUL09	Tyco Electronics Corporation Harrisburg, PA 17105-3608		
DIMENSIONS: mm [INCHES]		CHK TOM MICHIELUTTI 15JUL09	NAME WIRE-TERMINAL, SPADE, DIAMOND GRIP, WIRE SIZE: 22-16		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD TOM MICHIELUTTI 15JUL09	PRODUCT SPEC		
0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± 0.20[.008] 4 PLC ± - ANGLES ± .5°		APPLICATION SPEC		RESTRICTED TO	
MATERIAL SEE TABLE		WEIGHT -		SIZE A3	CAGE CODE 00779
FINISH SEE TABLE		DRAWING NO G-33799		SCALE 5:1	
CUSTOMER DRAWING			SHEET 1 OF 1		REV G1