

## Specification Sheet

Part Number: 514REF



Rite-On Self-Laminating Label Refill, .75" x .38" x 1.25", VL, White, 200/roll

<b>Article Number</b>	590-05141
<b>Type</b>	514REF
<b>Color</b>	White (WH)
<b>Features &amp; Benefits</b>	<ul style="list-style-type: none"><li>• Compact to easily fit in pants or shirt pockets.</li><li>• Dispenser can be reloaded over and over, making it cost effective to use.</li><li>• Dispenser edge allows easy removal of label liner.</li><li>• Dispenser protects labels from dirt and moisture before use, extending the life and quality of the labels.</li></ul>
<b>Quantity Per</b>	EA

### Product Description

HellermannTyton's Rite-On Markers are made from a flexible vinyl film and used to mark wire and cable. The self-laminating labels have a clear tail which seals the legend under clear vinyl, maintaining the quality of the labels. The Rite-On markers are packaged in a reusable dispenser made from high impact plastic which is resistant to oils and grease.

<b>Short Description</b>	Rite-On Self-Laminating Label Refill, .75" x .38" x 1.25", VL, White, 200/roll
<b>Global Part Name</b>	514REF-100-WH
<b>Fixation Method</b>	Pasting / Stick
<b>Variant</b>	Roller form
<b>Width W (Imperial)</b>	0.75
<b>Width W (Metric)</b>	19.05
<b>Bundle Diameter Min (Imperial)</b>	0.15
<b>Bundle Diameter Min (Metric)</b>	3.89
<b>Bundle Diameter Max (Imperial)</b>	0.263
<b>Bundle Diameter Max (Metric)</b>	6.68
<b>Outside Diameter Max(Imperial)</b>	0.263
<b>Outside Diameter Min (metric)</b>	3.89
<b>Outside Diameter Min(Imperial)</b>	0.153
<b>Outside Diameter Max (metric)</b>	6.68
<b>Material</b>	Type 100, Vinyl (PVC), white (WH), self laminating

<b>Material Shortcut</b>	100
<b>Adhesive</b>	Acrylic
<b>Halogen free</b>	No
<b>Adhesive Operating Temperature</b>	-51°F to +200°F (-46°C to +93°C)
<b>Operating Temperature (Metric)</b>	-40°F to +176°F (-40°C to +80°C)
<b>Reach Complaint(Article 33)</b>	No
<b>ROHS Complaint</b>	Yes
<b>Package Quantity(Imperial)</b>	200
<b>Package Quantity (Metric)</b>	200
<b>Customs Number</b>	3919102055
<b>Content Unit(BMEcat)</b>	pcs.
<b>Weight (Metric)</b>	0.075