

4

3

2

1



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
© COPYRIGHT ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	ECR-16-009823	15JUL2016	GK	SD

REPLACED BY OCEAN STYLE APPLICATOR PART NUMBER 2150066-2

FOR REPLACEMENT PARTS FOR APPLICATOR 680679 REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED) WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR 680679


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	GOPALAKRISHNA HV			TE Connectivity			
DIMENSIONS:		CHK	GOPALAKRISHNA HV			NAME			
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		END FEED HDM APPLICATOR					
		0 PLC	±	APVD	STOUGH DALE		PRODUCT SPEC		
MATERIAL		1 PLC	±	APPLICATION SPEC		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
FINISH		2 PLC	±	WEIGHT		A3		©- 680679	
		3 PLC	±	CUSTOMER DRAWING		SCALE	SHEET 1 OF 2	REV	A1
		4 PLC	±						
		ANGLES	±						

DRAWING MADE IN THIRD ANGLE PROJECTION

680679

/home/omp14442


PART NUMBER	REV	FIRST USED
680679-1	A	122500-1
680679-2	A	565435-5



TERMINAL NAME: RING, TONGUE		CRIMP DATA (AMP TERMINAL)		
PAD LTR	CRIMP HEIGHT	WIRE SIZE		
A	.122 ±.002 [3.10 ±0.05mm]	6.0mm ²		
B	.116 ±.002 [2.95 ±0.05mm]	4.0mm ²		
C	.112 ±.002 [2.84 ±0.05mm]	3.5mm ²		
D	NOT USED			
CRIMP	SIZE	TYPE	RANGE	
WIRE	.180 [4.57mm]	F	3.5-6.0mm ²	
INSUL	.250 [6.35mm]	F	.150-.210	

LEADMAKER & BENCH MODEL G		MECH POST FEED				
BENCH MODEL K	MECH POST FEED					
1	1	-	A	22594-8	NUT, HEX	70
1	1	-	B	240628-1	PLATE, ADJ	69
1	1	-	B	240626-1	SHAFT, PIVOT	68
1	1	-	B	240633-1	BUSHING	67
1	1	-	A	455680-1	LEVER, INTERMEDIATE	66
1	1	-	B	240629-1	BLOCK, PIVOT	65
1	1	-	A	240632-2	SCR, ADJ	64
1	1	-	B	240659-3	PIN, CAM ROLLER	63
1	1	-	B	240658-1	CAM, ROLLER	62
1	1	-	B	454398-1	ROD, FEED	61
						60
1	1	-	C	454220-1	CAP, RAM	59
1	1	-	D	453736-1	HOUSING	58
						57
						56
1	1	-	B	240624-1	PIN, FEED FINGER	55
1	1	-	B	691499-1	SPRING, FEED FINGER	54
1	1	-	B	240635-1	FINGER, FEED	53
1	1	-	B	240634-3	LEVER, TERMINAL	52
						51
						50
						49
1	-	-	B	690501-3	CAM, POST FEED 1 1/8 ST	48
-	1	-	B	690501-4	CAM, POST-FEED 1 5/8 ST	47
						46
1	1	-	A	690191-1	PLUG, NYLON	45
1	1	-	C	455674-1	RAM	44
1	1	-	A	690125-1	WASHER, LAMINATED	43
1	1	-	A	690124-1	WASHER, RAM	42
1	1	-	A	7-21002-9	BOLT, CRIMPER (5/16-24x1.00)	41
1	1	-	A	23241-6	BALL, STEEL	40
1	1	-	A	690170-1	SPRING, COMPRESSION	39
1	1	-	C	690142-1	DISC, INSULATION	38
1	1	-	D	354777-1	WIRE DISC, PLASTIC	37
1	1	-	A	22480-5	WASHER, SPRING	36
1	1	-	B	690212-1	POST, RAM	35
						34
						33
						32
						31
						30
						29
						28
1	1	-	A	690455-1	STRIPPER	27
1	1	-	C	455676-1	PLATE, BASE	26
2	2	-	A	22354-8	DRAG, STUD	25
1	1	-	B	455678-1	PLATE, STRIP GUIDE	24
						23
2	2	-	A	4-22281-1	SPRING, DRAG	22
						21
1	1	-	A	454177-1	DRAG, STOCK	20
1	1	-	B	1-458030-0	GUIDE, STRIP (REAR)	19
1	1	-	C	1-458031-0	GUIDE, STRIP (FRONT)	18
1	1	-	A	454178-1	GUIDE, FEED ROD	17
1	1	-	A	4-22284-9	SPRING, FEED RETURN	16
						15
						14
						13
						12
1	1	-	B	240644-1	PLATE, REAR SHEAR	11
						10
1	1	-	B	690482-3	PLATE, FRONT SHEAR	9
1	1	-	D	8-240693-9	ANVIL	8
1	1	-	B	2-690474-2	BLADE, SLUG	7
						6
1	1	-	C	6-240641-0	SPACER, SLUG BLADE	5
1	1	-	B	238009-2	SPACER, BLOCK CRIMPER	4
1	1	-	C	2-456134-4	CRIMPER, INSULATION	3
1	1	-	B	455888-8	SPACER, CRIMPER	2
1	1	-	C	456428-3	CRIMPER, WIRE	1

QTY	RECD	PER	ASSY	U/M	DWG SIZE	PART NO	DESCRIPTION	ITEM NO
2	2	-	C			4-354778-3	PIN, WIRE DISC (.2710)C	129
2	2	-	C			3-354778-4	PIN, WIRE DISC (.2665)B	127
2	2	-	C			2-354778-3	PIN, WIRE DISC (.2610)A	126
1	1	-	A			986950-1	WASHER, FLAT PRECISION	125
1	1	-	A			217238-1	GENERAL INSTRUCTION PACKAGE	124
1	1	-	-			4088039	EF APPL INST 408-8039	123
								122
								121
1	1	-	A			1-21030-7	PIN, DOWEL (φ.187x1.50)H5G	120
1	1	-	A			1-21030-1	PIN, DOWEL (φ.187x.50)LEVER	119
2	2	-	A			21045-3	RING, RET "C" (φ.187)FD PIN	118
2	2	-	A			5-21028-1	PIN, STD SPRING (φ.12)FD ADJ ROD	117
1	1	-	A			21899-4	WASHER, FLAT (φ5/16)SCR ADJ	116
								115
								114
4	4	-	A			21024-5	WASHER, LOCK (NO.10)FD ROD GDE	112
								111
6	6	-	A			21024-4	WASHER, LOCK (NO.8)SHEAR BL	110
								109
2	2	-	A			21018-4	NUT, HEX (4-40)DRAG	108
1	1	-	A			21018-5	NUT, HEX (6-32)FD ADJ PL	107
								106
2	2	-	A			21022-2	NUT, HEX SL (8-32)DRAG STUD	105
								104
								103
2	2	-	A			2-21006-6	SCR, SKT SET (4-40x.62)DRAG	102
1	1	-	A			21009-2	SCR, SKT SET (1/4-20x.25)RAM	101
2	2	-	A			21017-2	SCR, DRIVE (#2x.19) ID PLATE	100
1	1	-	A			1-21002-7	SCR, BHC (6-32x.38)CAM	99
1	1	-	B			461264-1	PLATE, IDENTIFICATION	98
1	1	-	A			6-23715-5	SCR, PAN HD (6-32x1.50)FEED ADJ	97
								96
2	2	-	A			2-21002-2	SCR, BHC (8-32x.50)STRIPPER	95
4	4	-	A			2-21002-9	SCR, BHC (10-32x.75)H5G CAP	94
1	1	-	A			22733-8	SCR, BHC (8-32x.38 LW)ANVIL	93
4	4	-	A			3-21002-3	SCR, BHC (1/4-20x.50)ST 6D PL	92
3	3	-	A			2-22733-8	SCR, BHC (1/4-20x.62)BASE PL	91
								90
								89
								88
2	2	-	A			2-21000-8	SCR, SHC (8-32x.62)SLUG BLADE	87
4	4	-	A			2-21000-6	SCR, SHC (8-32x.38)STRIP GUIDE	86
								85
2	2	-	A			3-21000-7	SCR, SHC (10-32x.75)FEED ROD GDE	84
								83
2	2	-	A			3-21000-6	SCR, SHC (10-32x.62)FEED ADJ PL	82
1	1	-	A			3-21000-4	SCR, SHC (10-32x.38)PIVOT BLOCK	81
2	2	-	A			3-21002-0	SCR, BHC (10-32x.88)SHEAR PL	80
REF	-	-	A			455745-1	GUARD, WINDOW	79
-	REF	-	A			679532-1	INSERT, GUARD	78
								77
								76
								75
1	1	-	A			690603-1	SPRING, ASSIST	74
1	1	-	A			23030-1	SCR, SKT CAP (6-32x.25)CP DSC	73
1	1	-	A			458109-1	WASHER, FLAT (SPECIAL)	72
1	1	-	A			690517-1	SPACER	71



- 1 RECOMMENDED SPARE PARTS.
- 2 GREASE LIGHTLY.
- 3 GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN A BENCH MACHINE.
- 4 LUBRICATE DAILY USING NO. 20 MACHINE OIL.
- 5 NEED TO BE ADJUSTED WHEN CHANGING TERMINALS.
- 6 ITEM 78 USED WITH G TERMINATOR ONLY.

THIS DRAWING IS A CONTROLLED DOCUMENT.

THIS DRAWING IS UNPUBLISHED. BY AMP INCORPORATED. ALL RIGHTS RESERVED. COPYRIGHT 19 AMP 1756 REV 3-92

680679

D

C

B

A