

Philips screwdriver - SF-PZSL 1-80 VDE - 1212556

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)

Screwdriver, plus/minus PZ/slotted, VDE-insulated, size: PZ 1 x 80, 2-component grip, with non-slip grip



Product Features

- VDE approval
- Screwdrivers for Phillips screws with Pozidriv and Phillips Recess screw head



Key commercial data

| | |
|--------------------------------------|----------------|
| Packing unit | 1 pc |
| Weight per Piece (excluding packing) | 62.0 GRM |
| Custom tariff number | 82054000 |
| Country of origin | Czech Republic |

Technical data

Dimensions

| | |
|--------------|--------|
| Length (b) | 178 mm |
| Width (a) | 26 mm |
| Blade height | 80 mm |

General

| | |
|---------------|--------------------|
| Design | Phillips |
| Type | Straight |
| Material | Alloyed tool steel |
| Test standard | IEC 60900:2004 |

Philips screwdriver - SF-PZSL 1-80 VDE - 1212556

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.0 | 21040401 |
| eCl@ss 4.1 | 21040401 |
| eCl@ss 5.0 | 21040401 |
| eCl@ss 5.1 | 21040401 |
| eCl@ss 6.0 | 21040401 |
| eCl@ss 7.0 | 21040409 |
| eCl@ss 8.0 | 21040409 |

ETIM

| | |
|----------|----------|
| ETIM 4.0 | EC000144 |
| ETIM 5.0 | EC000144 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 27111701 |
| UNSPSC 7.0901 | 27111701 |
| UNSPSC 11 | 27111701 |
| UNSPSC 12.01 | 27111701 |
| UNSPSC 13.2 | 27111701 |

Approvals

Approvals


Approvals

VDE Zeichengenehmigung

Ex Approvals

Approvals submitted

Approval details

| |
|--|
| VDE Zeichengenehmigung  |
|--|

Philips screwdriver - SF-PZSL 1-80 VDE - 1212556

Drawings

Pictogram

