

## Specification Sheet

Part Number: 151-14059



RB Adhesive Cable Clamp, 0.20" Max. Bundle Dia, PA66, Natural, 100/pkg

<b>Article Number</b>	151-14059
<b>Type</b>	RB5
<b>Color</b>	Natural (NA)
<b>Features &amp; Benefits</b>	<ul style="list-style-type: none"><li>•Simple snap-in design allows for quick and easy installation or removal of cables.</li><li>•Rubber based adhesive allows for a permanent bond to most surfaces.</li></ul>
<b>Quantity Per</b>	pcs.
<b>Product Description</b>	The RB Adhesive cable clamps are designed with an easy snap-in feature allowing simple installation or removal of cables, pipes or hoses. The rubber based adhesive allows for a permanent bond to most surfaces.
<b>Short Description</b>	RB Adhesive Cable Clamp, 0.20" Max. Bundle Dia, PA66, Natural, 100/pkg

**Global Part Name**

RB5-PA66-NA

**Length L (Imperial)**

0.75

**Length L (Metric)**

19.0

**Fixation Method**

Pasting / Stick

**Variant**

Closed

**Width W (Imperial)**

0.75

**Width W (Metric)**

19.0

**Bundle Diameter Max (Imperial)**

0.20

**Bundle Diameter Max (Metric)**

5.0

**Height H (Imperial)**

0.24

**Height H (Metric)**

6.0

**Nominal Diameter (Imperial)**

3/16

**Nominal Diameter (Metric)**

5.0

**Material**

Polyamide 6.6 (PA66)

**Material Shortcut**

PA66

<b>Adhesive</b>	Synthetic rubber with base of polyethylene foam
<b>Flammability</b>	UL 94 V2 (excluding adhesive)
<b>UV Resistant (Yes/No)</b>	No
<b>Adhesive Operating Temperature</b>	-40°F to +140°F (-40°C to +60°C)
<b>Operating Temperature (Metric)</b>	-40°F to +185°F (-40°C to +85°C)
<b>Reach Complaint(Article 33)</b>	Yes
<b>ROHS Complaint</b>	Yes
<b>Package Quantity(Imperial)</b>	100
<b>Package Quantity (Metric)</b>	100
<b>Customs Number</b>	3926909987
<b>Content Unit(BMEcat)</b>	pcs.
<b>Weight (Metric)</b>	3