



- NOTES:
- DESIGNED FOR USE WITH RG316 FLEXIBLE CABLE
 - CAPTURED CENTER CONTACT

| REVISIONS | | | |
|-----------------|-------------|--------|------------------|
| REV | DESCRIPTION | DATE | APPROVED |
| 01 ₀ | RELEASED | 1-8-90 | <i>DeComelis</i> |

| COMPONENT | MATERIAL | FINISH |
|--------------------------------|--|--|
| HOUSING | STAINLESS STEEL PER ASTM-A484 AND ASTM-A582, TYPE 303 | PASSIVATE PER ASTM-A380 |
| SPRING WASHER | | |
| DIELECTRIC | TFE FLUOROCARBON PER ASTM-D-1457, MIL-P-19468, AND FED. SPEC L-P-403 | N/A |
| CENTER CONTACT | BERYLLIUM COPPER PER QQ-C-530, ALLOY 173 | GOLD PLATE PER MIL-G-45204 OVER COPPER PLATE PER MIL-C-14550 |
| CONTACT SLEEVE | | |
| RETAINING RING | BERYLLIUM COPPER PER QQ-C-533 | NICKEL PLATE PER QQ-N-290 OVER COPPER PLATE PER MIL-C-14550 |
| RETAINING RING CONTACT FINGERS | BERYLLIUM COPPER PER QQ-C-533 | GOLD PLATE PER MIL-G-45204 OVER COPPER PLATE PER MIL-C-14550 |
| SHRINK TUBING | HEAT SHRINKABLE POLYOLEFIN COMPOUND MIL-I-23053-4 | N/A |
| FERRULE | SOFT COPPER ALLOY | GOLD PLATE PER MIL-G-45204 OVER COPPER PLATE PER MIL-C-14550 |

| CABLE ENTRY DIAMETER MINIMUM | |
|------------------------------|------|
| CONTACT | .021 |
| HOUSING | .062 |
| | |
| | |
| | |
| | |

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCE ON

| FRAC. | DEC. | ANGLES |
|--------|--------|--------|
| ± 1/64 | ± .005 | ± ° |

These drawings and specifications are the property of Omni Spectra Incorporated and shall not be reproduced or copied or used in whole or in part as the basis for the manufacture or sale of item(s) without written permission.

DRAWN BY L. ROSS DATE 1-4-90
 CHECKED BY M.Y. 1-5-89
 APP'D BY *DeComelis* 1-8-90

USE ASS'Y PROCEDURE

408-08304 (47-022)
 NO. AP.

AMP Incorporated
 140 Fourth Avenue
 Waltham, MA 02451-7599

AMP

TITLE OSSP FLOATING FLANGE MOUNT CABLE JACK-CRIMP ATTACHMENT

| | | | |
|-----------|----------------------|--------------|---------------------|
| SIZE B | CODE IDENT NO. 26805 | 4736-5001-02 | REV 01 ₀ |
| SCALE 4:1 | | | SHEET 1 OF 1 |